



HIKVISION Smart Solutions: Prevention and Rescue



## **HIKVISION**

## #1 worldwide

video surveillance total solution provider With 10.9% market share by IHS Research (for three consecutive years)

\$4B sales revenue,

with growth rate of 48%,

(above 100% in overseas market)

**SMART** evolution in IP surveillance (NVR, Network Camera, PTZ Dome)

TURBO HD Analog Solution (720p/1080p)

- Singapore HDB project (\$7M, IP solutions)
- Safe City project in Korea (\$1.6M, PTZ domes)
- Affordable Housing Facilities project in New York (over **5,000** channels video streams)




#### WHO WE ARE?





## **ADDRESSING SECURITY ACROSS VERTICALS**









Dark Fighter



Video Analytics



PTZ Dome Camera



Pano-Vu



Video Management Software iVMS-4200, iVMS-4500, iVMS-5200



NVR



DVR/Hybrid DVR



Encoder/Decoder




Network Storage

## **Complete Video Management Software range**









iVMS-4500



iVMS-5200 Professional / Enterprise

- ◆ Free client software, easy-to-use operation, professional function, customized UI, multi-OS supported (iVMS-4200 / iVMS-4500)
- ◆ Free DDNS service (hik-online)
- ◆ Provide high-value platform for large-scale security solution (iVMS-5200)



## iVMS-5200 – Video Management System

- Choose between flexible viewing interfaces in multiple languages.
- Get access to video recordings from any computer or mobile device.
- ◆ Users can always stay updated.







#### DS-2CD6980C Multi-imagers Darkfighter Panoramic Camera

- 4 x 5mm fixed lens
- 180º Horizontal View
- Up to 8MP resolution (4x2MP sensor)
- 120dB WDR
- Audio/Alarm IO
- IP66 outdoor
- Heater & fan optional





## 4 x rotated images in 1920x1080 resolution













## Stitching to one panoramic image in (4096x1800) resolution











#### **Audio Detection**





## HIKVISION

#### **Smart Detection**



- Cross line
- Perimeter detection
- Face detection
- Entering / exiting area
- New object / object stolen







- DS-2DY5223IW-AE 2MP&23X (2015.08)
- Darkfighter technology
- H.265 / H.264 codec
- +90°∼ -90° tilt range
- IP66, 150m IR

- DS-2DY9187-AIA 2MP&32X (1000m laser)
- 800m / 1000m IR distance
- 32X optical zoom
- tilt range +40° ~ -90





- DS-2DF7230I5-AEL 2MP&30X (5800m laser, released)
- 500m IR distance
- 32X optical zoom
- smart tracking, smart detection

- DS-2DY9187-AI8 2MP&32X (800m laser, released)
- DS-2DY9187-AIA 2MP&32X (1000m laser, 2015.09)
- 800m / 1000m IR distance
- 32X optical zoom
- tilt range +40° ~ -90





## **License Plate Recognition**







Vehicle Detection

(A) 5 to 22 4



SDK




Smart Backup

iVMS5200-Professional or other 3<sup>rd</sup> software

### Mobile video surveillance





Framework of mobile monitoring system

## Mobile video surveillance










## **Portable Video Recording**

> Rescue operations

- Professional video & audio coding technology
- Superior video performance
- Versatile and robust
- Suitable for any kind of surveillance job and environmental conditions











> Rescue operations




- Fingerprint log-in
- ♦ Task received, camera recording
- Live view uploading
- Real-time instructions

### **UAV**



# > Rescue operations





- Increase the safety of staff: post-disaster survey
- Reduce personnel cost: aerial patrol
- Live view uploading
- Multiple sensors option